



ANALYTICAL REPORT

Lab Number:	L1710039
Client:	EST Associates, Inc. 51 Fremont Street Needham, MA 02494
ATTN:	John D'Andrea
Phone:	(781) 455-0003
Project Name:	KEOLIS-CRMF-MTHLY EPA SAMP D1
Project Number:	Not Specified
Report Date:	04/07/17

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1
Project Number: Not Specified

Lab Number: L1710039
Report Date: 04/07/17

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1710039-01	DMH 13.4 (DOWNSTREAM MH) EFFLUENT COMPOSITE	WATER	70 R THIRD AVENUE, SOMERVILLE, MA 02143	04/03/17 08:00	04/03/17
L1710039-02	DMH 13.4 (DOWNSTREAM MH) RECEIVING WATER	WATER	70 R THIRD AVENUE, SOMERVILLE, MA 02143	04/03/17 09:30	04/03/17
L1710039-03	AMBIENT (MILLERS RIVER BEYOND BOOMS) COMPOSITE	WATER	70 R THIRD AVENUE, SOMERVILLE, MA 02143	04/03/17 08:00	04/03/17
L1710039-04	AMBIENT (MILLERS RIVER BEYOND BOOMS) REC. WATER	WATER	70 R THIRD AVENUE, SOMERVILLE, MA 02143	04/03/17 10:30	04/03/17

Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1
Project Number: Not Specified

Lab Number: L1710039
Report Date: 04/07/17

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1
Project Number: Not Specified

Lab Number: L1710039
Report Date: 04/07/17

Case Narrative (continued)

Report Submission


The analysis of Biosassay was subcontracted, and the results will be issued under separate cover.

Nitrogen, Ammonia

The WG990969-3 Laboratory Duplicate RPD (28%), performed on L1710039-01, is above the acceptance criteria; however, the sample and duplicate results are less than five times the reporting limit. Therefore, the RPD is valid.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Kelly Stenstrom

Title: Technical Director/Representative

Date: 04/07/17

METALS

Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1**Lab Number:** L1710039**Project Number:** Not Specified**Report Date:** 04/07/17**SAMPLE RESULTS****Lab ID:** L1710039-01**Date Collected:** 04/03/17 08:00**Client ID:** DMH 13.4 (DOWNSTREAM MH) EFFLU**Date Received:** 04/03/17**Sample Location:** 70 R THIRD AVENUE, SOMERVILLE,**Field Prep:** Not Specified**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.4485		mg/l	0.01000	--	1	04/04/17 09:55	04/04/17 14:28	EPA 3005A	3,200.8	AM
Cadmium, Total	ND		mg/l	0.00100	--	1	04/04/17 09:55	04/04/17 14:28	EPA 3005A	3,200.8	AM
Copper, Total	0.00466		mg/l	0.00100	--	1	04/04/17 09:55	04/04/17 14:28	EPA 3005A	3,200.8	AM
Lead, Total	0.00436		mg/l	0.00100	--	1	04/04/17 09:55	04/04/17 14:28	EPA 3005A	3,200.8	AM
Nickel, Total	ND		mg/l	0.00200	--	1	04/04/17 09:55	04/04/17 14:28	EPA 3005A	3,200.8	AM
Zinc, Total	0.08558		mg/l	0.01000	--	1	04/04/17 09:55	04/04/17 14:28	EPA 3005A	3,200.8	AM
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	56.3		mg/l	0.660	NA	1	04/04/17 09:55	04/05/17 00:04	EPA 3005A	19,200.7	MC



Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1**Lab Number:** L1710039**Project Number:** Not Specified**Report Date:** 04/07/17**SAMPLE RESULTS****Lab ID:** L1710039-02**Date Collected:** 04/03/17 09:30**Client ID:** DMH 13.4 (DOWNSTREAM MH) RECEI**Date Received:** 04/03/17**Sample Location:** 70 R THIRD AVENUE, SOMERVILLE,**Field Prep:** Not Specified**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.2370		mg/l	0.01000	--	1	04/04/17 09:55	04/04/17 15:02	EPA 3005A	3,200.8	AM
Cadmium, Total	ND		mg/l	0.00100	--	1	04/04/17 09:55	04/04/17 15:02	EPA 3005A	3,200.8	AM
Copper, Total	0.00363		mg/l	0.00100	--	1	04/04/17 09:55	04/04/17 15:02	EPA 3005A	3,200.8	AM
Lead, Total	0.00246		mg/l	0.00100	--	1	04/04/17 09:55	04/04/17 15:02	EPA 3005A	3,200.8	AM
Nickel, Total	0.00207		mg/l	0.00200	--	1	04/04/17 09:55	04/04/17 15:02	EPA 3005A	3,200.8	AM
Zinc, Total	0.09112		mg/l	0.01000	--	1	04/04/17 09:55	04/04/17 15:02	EPA 3005A	3,200.8	AM
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	144		mg/l	0.660	NA	1	04/04/17 09:55	04/05/17 00:09	EPA 3005A	19,200.7	MC



Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1**Lab Number:** L1710039**Project Number:** Not Specified**Report Date:** 04/07/17**SAMPLE RESULTS****Lab ID:** L1710039-03**Date Collected:** 04/03/17 08:00**Client ID:** AMBIENT (MILLERS RIVER BEYOND**Date Received:** 04/03/17**Sample Location:** 70 R THIRD AVENUE, SOMERVILLE,**Field Prep:** Not Specified**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.5230		mg/l	0.01000	--	1	04/04/17 09:55	04/04/17 15:06	EPA 3005A	3,200.8	AM
Cadmium, Total	ND		mg/l	0.00100	--	1	04/04/17 09:55	04/04/17 15:06	EPA 3005A	3,200.8	AM
Copper, Total	0.01034		mg/l	0.00100	--	1	04/04/17 09:55	04/04/17 15:06	EPA 3005A	3,200.8	AM
Lead, Total	0.00851		mg/l	0.00100	--	1	04/04/17 09:55	04/04/17 15:06	EPA 3005A	3,200.8	AM
Nickel, Total	0.00316		mg/l	0.00200	--	1	04/04/17 09:55	04/04/17 15:06	EPA 3005A	3,200.8	AM
Zinc, Total	0.09769		mg/l	0.01000	--	1	04/04/17 09:55	04/04/17 15:06	EPA 3005A	3,200.8	AM
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	171		mg/l	0.660	NA	1	04/04/17 09:55	04/05/17 00:13	EPA 3005A	19,200.7	MC



Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1**Lab Number:** L1710039**Project Number:** Not Specified**Report Date:** 04/07/17**SAMPLE RESULTS****Lab ID:** L1710039-04**Date Collected:** 04/03/17 10:30**Client ID:** AMBIENT (MILLERS RIVER BEYOND**Date Received:** 04/03/17**Sample Location:** 70 R THIRD AVENUE, SOMERVILLE,**Field Prep:** Not Specified**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	0.1278		mg/l	0.01000	--	1	04/04/17 09:55	04/04/17 15:09	EPA 3005A	3,200.8	AM
Cadmium, Total	ND		mg/l	0.00100	--	1	04/04/17 09:55	04/04/17 15:09	EPA 3005A	3,200.8	AM
Copper, Total	0.00393		mg/l	0.00100	--	1	04/04/17 09:55	04/04/17 15:09	EPA 3005A	3,200.8	AM
Lead, Total	0.00246		mg/l	0.00100	--	1	04/04/17 09:55	04/04/17 15:09	EPA 3005A	3,200.8	AM
Nickel, Total	ND		mg/l	0.00200	--	1	04/04/17 09:55	04/04/17 15:09	EPA 3005A	3,200.8	AM
Zinc, Total	0.02565		mg/l	0.01000	--	1	04/04/17 09:55	04/04/17 15:09	EPA 3005A	3,200.8	AM
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	111		mg/l	0.660	NA	1	04/04/17 09:55	04/05/17 00:17	EPA 3005A	19,200.7	MC



Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1

Lab Number: L1710039

Project Number: Not Specified

Report Date: 04/07/17

Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab for sample(s): 01-04 Batch: WG990787-1										
Hardness	ND		mg/l	0.660	NA	1	04/04/17 09:55	04/04/17 23:04	19,200.7	MC

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-04 Batch: WG990791-1										
Aluminum, Total	ND		mg/l	0.01000	--	1	04/04/17 09:55	04/04/17 13:22	3,200.8	AM
Cadmium, Total	ND		mg/l	0.00100	--	1	04/04/17 09:55	04/04/17 13:22	3,200.8	AM
Copper, Total	ND		mg/l	0.00100	--	1	04/04/17 09:55	04/04/17 13:22	3,200.8	AM
Lead, Total	ND		mg/l	0.00100	--	1	04/04/17 09:55	04/04/17 13:22	3,200.8	AM
Nickel, Total	ND		mg/l	0.00200	--	1	04/04/17 09:55	04/04/17 13:22	3,200.8	AM
Zinc, Total	ND		mg/l	0.01000	--	1	04/04/17 09:55	04/04/17 13:22	3,200.8	AM

Prep Information

Digestion Method: EPA 3005A

Lab Control Sample Analysis**Batch Quality Control****Project Name:** KEOLIS-CRMF-MTHLY EPA SAMP D1**Lab Number:** L1710039**Project Number:** Not Specified**Report Date:** 04/07/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01-04 Batch: WG990787-2								
Hardness	102		-		85-115	-		
Total Metals - Mansfield Lab Associated sample(s): 01-04 Batch: WG990791-2								
Aluminum, Total	103		-		85-115	-		
Cadmium, Total	111		-		85-115	-		
Copper, Total	107		-		85-115	-		
Lead, Total	110		-		85-115	-		
Nickel, Total	102		-		85-115	-		
Zinc, Total	102		-		85-115	-		

Matrix Spike Analysis **Batch Quality Control**

Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1

Lab Number: L1710039

Project Number: Not Specified

Report Date: 04/07/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
-----------	---------------	----------	----------	--------------	------	-----------	---------------	------	-----------------	-----	------	------------

Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG990787-3 QC Sample: L1710113-01 Client ID: MS Sample

Hardness	79.4	66.2	144	98		-	-		75-125	-		20
----------	------	------	-----	----	--	---	---	--	--------	---	--	----

Total Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG990791-3 QC Sample: L1710113-01 Client ID: MS Sample

Aluminum, Total	0.0324	2	2.055	101		-	-		70-130	-		20
Cadmium, Total	ND	0.051	0.05411	106		-	-		70-130	-		20
Copper, Total	0.0408	0.25	0.2950	102		-	-		70-130	-		20
Lead, Total	ND	0.51	0.5349	105		-	-		70-130	-		20
Nickel, Total	0.0020	0.5	0.5147	102		-	-		70-130	-		20
Zinc, Total	0.0346	0.5	0.5351	100		-	-		70-130	-		20

Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1

Project Number: Not Specified

Lab Duplicate Analysis

Batch Quality Control

Lab Number: L1710039

Report Date: 04/07/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG990791-4 QC Sample: L1710113-01 Client ID: DUP Sample						
Aluminum, Total	0.0324	0.03118	mg/l	4		20
Cadmium, Total	ND	ND	mg/l	NC		20
Copper, Total	0.0408	0.04036	mg/l	1		20
Lead, Total	ND	ND	mg/l	NC		20
Nickel, Total	0.0020	ND	mg/l	NC		20
Zinc, Total	0.0346	0.03252	mg/l	6		20

INORGANICS & MISCELLANEOUS

Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1
Project Number: Not Specified

Lab Number: L1710039
Report Date: 04/07/17

SAMPLE RESULTS

Lab ID: L1710039-01
Client ID: DMH 13.4 (DOWNSTREAM MH) EFFLU
Sample Location: 70 R THIRD AVENUE, SOMERVILLE,
Matrix: Water

Date Collected: 04/03/17 08:00
Date Received: 04/03/17
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Total	43.7		mg CaCO3/L	2.00	NA	1	-	04/04/17 10:25	121,2320B	BR
Specific Conductance	840		umhos/cm	10	--	1	-	04/03/17 21:22	4,120.1	AS
Solids, Total	450		mg/l	10	NA	1	-	04/06/17 10:45	121,2540B	DW
Solids, Total Dissolved	450		mg/l	10	--	1	-	04/06/17 11:40	121,2540C	DW
Nitrogen, Ammonia	0.095		mg/l	0.075	--	1	04/04/17 16:07	04/04/17 21:40	121,4500NH3-BH	AT
Total Organic Carbon	6.73		mg/l	1.00	--	2	-	04/05/17 06:40	121,5310C	DW



Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1
Project Number: Not Specified

Lab Number: L1710039
Report Date: 04/07/17

SAMPLE RESULTS

Lab ID: L1710039-02
Client ID: DMH 13.4 (DOWNSTREAM MH) RECEI
Sample Location: 70 R THIRD AVENUE, SOMERVILLE,
Matrix: Water

Date Collected: 04/03/17 09:30
Date Received: 04/03/17
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Total	92.6		mg CaCO3/L	2.00	NA	1	-	04/04/17 10:25	121,2320B	BR
Specific Conductance	1900		umhos/cm	10	--	1	-	04/03/17 21:22	4,120.1	AS
Nitrogen, Ammonia	0.293		mg/l	0.075	--	1	04/04/17 16:07	04/04/17 21:42	121,4500NH3-BH	AT
Total Organic Carbon	9.31		mg/l	2.50	--	5	-	04/05/17 06:40	121,5310C	DW



Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1
Project Number: Not Specified

Lab Number: L1710039
Report Date: 04/07/17

SAMPLE RESULTS

Lab ID: L1710039-03
Client ID: AMBIENT (MILLERS RIVER BEYOND
Sample Location: 70 R THIRD AVENUE, SOMERVILLE,
Matrix: Water

Date Collected: 04/03/17 08:00
Date Received: 04/03/17
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Total	70.2		mg CaCO3/L	2.00	NA	1	-	04/04/17 10:25	121,2320B	BR
Specific Conductance	4100		umhos/cm	10	--	1	-	04/03/17 21:22	4,120.1	AS
Solids, Total	2400		mg/l	10	NA	1	-	04/06/17 10:45	121,2540B	DW
Solids, Total Dissolved	2300		mg/l	10	--	1	-	04/06/17 11:40	121,2540C	DW
Nitrogen, Ammonia	0.314		mg/l	0.075	--	1	04/04/17 16:07	04/04/17 21:43	121,4500NH3-BH	AT
Total Organic Carbon	7.57		mg/l	5.00	--	10	-	04/05/17 06:40	121,5310C	DW



Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1
Project Number: Not Specified

Lab Number: L1710039
Report Date: 04/07/17

SAMPLE RESULTS

Lab ID: L1710039-04
Client ID: AMBIENT (MILLERS RIVER BEYOND
Sample Location: 70 R THIRD AVENUE, SOMERVILLE,
Matrix: Water

Date Collected: 04/03/17 10:30
Date Received: 04/03/17
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Total	34.6		mg CaCO3/L	2.00	NA	1	-	04/04/17 10:25	121,2320B	BR
Specific Conductance	1800		umhos/cm	10	--	1	-	04/03/17 21:22	4,120.1	AS
Nitrogen, Ammonia	0.103		mg/l	0.075	--	1	04/04/17 16:07	04/04/17 21:44	121,4500NH3-BH	AT
Total Organic Carbon	6.04		mg/l	2.50	--	5	-	04/05/17 06:40	121,5310C	DW



Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1**Lab Number:** L1710039**Project Number:** Not Specified**Report Date:** 04/07/17

Method Blank Analysis

Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG990826-1										
Alkalinity, Total	ND		mg CaCO ₃ /L	2.00	NA	1	-	04/04/17 10:25	121,2320B	BR
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG990969-1										
Nitrogen, Ammonia	ND		mg/l	0.075	--	1	04/04/17 16:07	04/04/17 21:29	121,4500NH ₃ -BH	AT
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG991359-1										
Total Organic Carbon	ND		mg/l	0.500	--	1	-	04/05/17 06:40	121,5310C	DW
General Chemistry - Westborough Lab for sample(s): 01,03 Batch: WG991575-1										
Solids, Total Dissolved	ND		mg/l	10	--	1	-	04/06/17 11:40	121,2540C	DW
General Chemistry - Westborough Lab for sample(s): 01,03 Batch: WG991577-1										
Solids, Total	ND		mg/l	10	NA	1	-	04/06/17 10:45	121,2540B	DW

Lab Control Sample Analysis**Batch Quality Control****Project Name:** KEOLIS-CRMF-MTHLY EPA SAMP D1**Lab Number:** L1710039**Project Number:** Not Specified**Report Date:** 04/07/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG990648-1								
Specific Conductance	100		-		99-101	-		
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG990826-2								
Alkalinity, Total	103		-		90-110	-		10
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG990969-2								
Nitrogen, Ammonia	93		-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG991359-2								
Total Organic Carbon	101		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01,03 Batch: WG991575-2								
Solids, Total Dissolved	98		-		80-120	-		
General Chemistry - Westborough Lab Associated sample(s): 01,03 Batch: WG991577-2								
Solids, Total	100		-		80-120	-		

Matrix Spike Analysis Batch Quality Control

Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1

Lab Number: L1710039

Project Number: Not Specified

Report Date: 04/07/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG990826-4 QC Sample: L1709818-03 Client ID: MS Sample												
Alkalinity, Total	61.9	100	166	104		-	-		86-116	-		10
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG990969-4 QC Sample: L1710039-01 Client ID: DMH 13.4 (DOWNSTREAM MH) EFFLUENT COMPOSITE												
Nitrogen, Ammonia	0.095	4	3.75	91		-	-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG991359-4 QC Sample: L1710207-01 Client ID: MS Sample												
Total Organic Carbon	10.8	20	30.6	99		-	-		80-120	-		20

Lab Duplicate Analysis

Batch Quality Control

Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1
Project Number: Not Specified

Lab Number: L1710039
Report Date: 04/07/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG990648-2 QC Sample: L1710039-01 Client ID: DMH 13.4 (DOWNSTREAM MH) EFFLUENT COMPOSITE						
Specific Conductance	840	850	umhos/cm	1		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG990826-3 QC Sample: L1709818-01 Client ID: DUP Sample						
Alkalinity, Total	224	226	mg CaCO3/L	1		10
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG990969-3 QC Sample: L1710039-01 Client ID: DMH 13.4 (DOWNSTREAM MH) EFFLUENT COMPOSITE						
Nitrogen, Ammonia	0.095	0.127	mg/l	28	Q	20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG991359-3 QC Sample: L1710207-01 Client ID: DUP Sample						
Total Organic Carbon	10.8	10.1	mg/l	7		20
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG991575-3 QC Sample: L1710039-01 Client ID: DMH 13.4 (DOWNSTREAM MH) EFFLUENT COMPOSITE						
Solids, Total Dissolved	450	450	mg/l	0		10
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG991577-3 QC Sample: L1710039-01 Client ID: DMH 13.4 (DOWNSTREAM MH) EFFLUENT COMPOSITE						
Solids, Total	450	450	mg/l	0		16

Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1**Project Number:** Not Specified**Lab Number:** L1710039**Report Date:** 04/07/17**Sample Receipt and Container Information**

Were project specific reporting limits specified? YES

Cooler Information Custody Seal**Cooler**

A Absent

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1710039-01A	Vial H2SO4 preserved	A	N/A	4.5	Y	Absent	TOC-5310(28)
L1710039-01B	Vial H2SO4 preserved	A	N/A	4.5	Y	Absent	TOC-5310(28)
L1710039-01C	Plastic 250ml unpreserved	A	7	4.5	Y	Absent	TSC-2540(7),COND-120(1),TDS-2540(7)
L1710039-01D	Plastic 250ml unpreserved w/No H	A	N/A	4.5	Y	Absent	ALK-T-2320(14)
L1710039-01E	Plastic 500ml H2SO4 preserved	A	<2	4.5	Y	Absent	NH3-4500(28)
L1710039-01F	Plastic 250ml HNO3 preserved	A	<2	4.5	Y	Absent	AL-2008T(180),CD-2008T(180),NI-2008T(180),ZN-2008T(180),CU-2008T(180),HARDU(180),PB-2008T(180)
L1710039-01G	Plastic 950ml unpreserved	A	7	4.5	Y	Absent	TSC-2540(7),COND-120(1),TDS-2540(7)
L1710039-02A	Vial H2SO4 preserved	A	N/A	4.5	Y	Absent	TOC-5310(28)
L1710039-02B	Vial H2SO4 preserved	A	N/A	4.5	Y	Absent	TOC-5310(28)
L1710039-02C	Plastic 250ml unpreserved w/No H	A	N/A	4.5	Y	Absent	ALK-T-2320(14)
L1710039-02D	Plastic 120ml unpreserved	A	7	4.5	Y	Absent	COND-120(1)
L1710039-02E	Plastic 250ml HNO3 preserved	A	<2	4.5	Y	Absent	AL-2008T(180),CD-2008T(180),NI-2008T(180),ZN-2008T(180),CU-2008T(180),HARDU(180),PB-2008T(180)
L1710039-02F	Plastic 500ml H2SO4 preserved	A	<2	4.5	Y	Absent	NH3-4500(28)
L1710039-03A	Vial H2SO4 preserved	A	N/A	4.5	Y	Absent	TOC-5310(28)
L1710039-03B	Vial H2SO4 preserved	A	N/A	4.5	Y	Absent	TOC-5310(28)
L1710039-03C	Plastic 250ml unpreserved	A	7	4.5	Y	Absent	TSC-2540(7),COND-120(1),TDS-2540(7)
L1710039-03D	Plastic 250ml unpreserved w/No H	A	N/A	4.5	Y	Absent	ALK-T-2320(14)
L1710039-03E	Plastic 500ml H2SO4 preserved	A	<2	4.5	Y	Absent	NH3-4500(28)
L1710039-03F	Plastic 250ml HNO3 preserved	A	<2	4.5	Y	Absent	AL-2008T(180),CD-2008T(180),NI-2008T(180),ZN-2008T(180),CU-2008T(180),HARDU(180),PB-2008T(180)
L1710039-03G	Plastic 950ml unpreserved	A	7	4.5	Y	Absent	TSC-2540(7),COND-120(1),TDS-2540(7)
L1710039-04A	Vial H2SO4 preserved	A	N/A	4.5	Y	Absent	TOC-5310(28)

*Values in parentheses indicate holding time in days



Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1**Project Number:** Not Specified**Lab Number:** L1710039**Report Date:** 04/07/17**Container Information**

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1710039-04B	Vial H2SO4 preserved	A	N/A	4.5	Y	Absent	TOC-5310(28)
L1710039-04C	Plastic 250ml unpreserved w/No H	A	N/A	4.5	Y	Absent	ALK-T-2320(14)
L1710039-04D	Plastic 120ml unpreserved	A	7	4.5	Y	Absent	COND-120(1)
L1710039-04E	Plastic 250ml HNO3 preserved	A	<2	4.5	Y	Absent	AL-2008T(180),CD- 2008T(180),NI-2008T(180),ZN- 2008T(180),CU- 2008T(180),HARDU(180),PB- 2008T(180)
L1710039-04F	Plastic 500ml H2SO4 preserved	A	<2	4.5	Y	Absent	NH3-4500(28)

*Values in parentheses indicate holding time in days

Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1
Project Number: Not Specified

Lab Number: L1710039
Report Date: 04/07/17

GLOSSARY

Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the

Report Format: Data Usability Report



Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1**Lab Number:** L1710039**Project Number:** Not Specified**Report Date:** 04/07/17**Data Qualifiers**

- reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the reporting limit (RL) for the sample.

Project Name: KEOLIS-CRMF-MTHLY EPA SAMP D1
Project Number: Not Specified

Lab Number: L1710039
Report Date: 04/07/17

REFERENCES

- 3 Methods for the Determination of Metals in Environmental Samples, Supplement I. EPA/600/R-94/111. May 1994.
- 4 Methods for Chemical Analysis of Water and Wastes. EPA 600/4-79-020. Revised March 1983.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Alpha Analytical, Inc.

ID No.:17873

Facility: **Company-wide**

Revision 10

Department: **Quality Assurance**

Published Date: 1/16/2017 11:00:05 AM

Title: **Certificate/Approval Program Summary**

Page 1 of 1

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility**EPA 624:** m/p-xylene, o-xylene**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270D:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**EPA 300:** DW: Bromide**EPA 6860:** NPW and SCM: Perchlorate**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation**EPA 9012B:** NPW: Total Cyanide**EPA 9050A:** NPW: Specific Conductance**SM3500:** NPW: Ferrous Iron**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO₂, NO₃.**SM5310C:** DW: Dissolved Organic Carbon**Mansfield Facility****SM 2540D:** TSS**EPA 3005A** NPW**EPA 8082A:** NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:**Drinking Water****EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B****EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.****EPA 624:** Volatile Halocarbons & Aromatics,**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.****Mansfield Facility:****Drinking Water****EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.**EPA 245.1 Hg.****SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



Laboratory: Alpha Analytical - 508-898-9220

Page 29 of 29